



**JARAMOGI OGINGA ODINGA UNIVERSITY OF SCIENCE AND TECHNOLOGY
SCHOOL OF BIOLOGICAL AND PHYSICAL SCIENCES
UNIVERSITY EXAMINATION FOR THE DEGREE OF BACHELOR OF EDUCATION
(SCIENCE)**

**MAIN
REGULAR RESIT**

COURSE CODE: SPH 410

COURSE TITLE: ELECTRODYNAMICS

EXAM VENUE: LAB 1

STREAM: (BED SCI)

DATE: 5/5/2016

EXAM SESSION: 9:00-11:00AM

TIME: 2:00HRS

Instructions:

- 1. Answer Question 1 (compulsory) and ANY other 2 questions**
- 2. Candidates are advised not to write on the question paper.**
- 3. Candidates must hand in their answer booklets to the invigilator while in the examination room.**

QUESTION ONE**(30 Marks)**

- a. A vector field \vec{F} is given by $\vec{F} = x^2 y \vec{i} + xy z \vec{j} - x^2 y^2 \vec{k}$
- ii) Compute $\text{div} \vec{F}$ (3 Marks)
- iii) Ascertain whether \vec{F} is a conservative or a non-conservative vector field. (3marks)
- b. Given the vector field $\vec{H} = yz^2 \vec{i} + xy \vec{j} + yz \vec{k}$,
Verify that $\text{div}(\text{Curl} \vec{H}) = 0$ (3 marks)
- c. Distinguish between scalar and vector fields giving examples of each (3 marks)
- d. State the Stokes' theorem (2 marks)
- e. Write down the basic Maxwell's equations in their integral form explaining the implication of each (4 marks)
- f. i) Derive the Gauss's law for continuous charge density $\rho(x)$ in its integral form given by

$$\oint_s \vec{E} \cdot d\vec{a} = 4\pi \int_v \rho(x) d^3x \quad (5 \text{ marks})$$

- ii) Beginning with the integral form obtained in (i) above, obtain the differential form of the Gauss law. (4 marks)
- g. Briefly explain how electromagnetic waves are generated from a Hertzian dipole antenna (3 marks)

QUESTION TWO**(20 Marks)**

Maxwell's equations are **four** mathematical equations that relate the Electric Field (**E**) and magnetic field (**B**) to the charge density (ρ) and current density (**J**) that specify the fields and give rise to electromagnetic radiation.

- i. Derive the **four** Maxwell's equations with sources in free space. (12 marks)
- ii. Obtain the Maxwell's equations in vacuum (8 marks)

QUESTION THREE**(20 Marks)**

- a. Beginning with the Maxwell's Curl equations;

$$\nabla \times \vec{E} = \frac{\partial \vec{B}}{\partial t} \text{ and } \nabla \times \vec{H} = \frac{\partial \vec{D}}{\partial t} + \vec{J}$$

Obtain both the **point** and **integral forms** of the **Poynting's theorem**. (14 marks)

- b. Briefly give an account of the above forms of **Poynting's theorem**. (6marks)

QUESTION FOUR**(20 Marks)**

A point charge q is brought to a position a distance, d , away from an infinite plane conductor held at zero potential. Using the method of images, find:

- (i) The surface-charge density induced on the plane; (5marks)
 (ii) The force between the plane and the charge by using Coulomb's law for the force between the charge and its image; (5 marks)
 (iii) The total force acting on the plane by integrating $\frac{\sigma^2}{2\epsilon_0}$ over the whole plane;(5marks)
 (iv) The work necessary to remove the charge, q , from its position to infinity(5 marks)

QUESTION FIVE**(20 Marks)**

A localized electric charge distribution produces an electrostatic field, $\vec{E} = -\nabla\Phi$. Into this field is placed a small localized time-independent current density $\vec{J}(x)$, which generates a magnetic field \vec{H} .

- (a) Show that the momentum of these electromagnetic fields can be transformed to

$$\vec{P}_{field} = \frac{1}{c^2} \int \Phi \vec{J} d^3x$$

provided the product $\Phi\mathbf{H}$ falls off rapidly enough at large distances. (10 marks)

- (b) Assuming that the current distribution is localized to a region small compared to the scale of variation of the electric field, expand the electrostatic potential in a Taylor series and show that

$$\vec{P}_{field} = \frac{1}{c^2} \vec{E}(0) \times m$$

Where $\vec{E}(0)$ is the electric field at the current distribution and m is the magnetic moment caused by the current. (10 marks)