



JARAMOGI OGINGA ODINGA UNIVERSITY OF SCIENCE AND TECHNOLOGY
SCHOOL OF BIOLOGICAL PHYSICAL MATHEMATICS AND ACTUARIAL
SCIENCE
UNIVERSITY EXAMINATION FOR DEGREE OF BACHELOR OF SCIENCE IN
ACTUARIAL SCIENCES
4THYEAR1ST SEMESTER 2022/2023 ACADEMIC YEAR
REGULAR (MAIN)

COURSE CODE: WAB2415

COURSE TITLE: FURTHER DISTRIBUTION THEORY

EXAM VENUE: LAB 17

STREAM: (B.sc. Actuarial Science)

DATE: 5/12/2022

EXAM SESSION: 9.00-11.00AM

TIME: 2.00 HOURS

Instructions:

- 1. Answer question 1 (Compulsory) and ANY other 2 questions**
- 2. Candidates are advised not to write on the question paper.**
- 3. Candidates must hand in their answer booklets to the invigilator while in the examination room.**

QUESTION ONE (30 MARKS)

- a) The average number of calls received per hour by an insurance company's switchboard is 5. Calculate the exact probability that in a working day of eight hours, the number of telephone calls received will be
- i. exactly 36 (2 Marks)
 - ii. between 42 and 45 inclusive (3 Marks)
- b) Calculate the approximate probabilities using the normal approximation in (a) above (6 Marks)
- c) Use a normal approximation to calculate an approximate value for the probability that an observation from $\text{Gamma}(25,50)$ random variable falls between 0.4 and 0.8 (4 Marks)
- d) What is the approximate probability that the mean sample of 10 observations from a $\text{Beta}(10,10)$ random variable falls between 0.48 and 0.52. (7 Marks)
- e) The probability distribution function of a random variable X is given by $f(x) = \begin{cases} 2x & 0 < x < 1 \\ 0 & \text{otherwise} \end{cases}$. Show that as k increases $\Pr(|X - \mu| \geq k\sigma)$ decreases. (8 Marks)

QUESTION TWO (20 MARKS)

- a) Given that X is a continuous random variable, then X is said to have a chi – square distribution with probability density function given by

$$f(x) = \begin{cases} \frac{1}{\Gamma(n/2) 2^{n/2}} x^{\frac{n}{2}-1} e^{-x/2} & x > 0 \\ 0 & \text{elsewhere} \end{cases}$$

Find

- i. the moment generating function of the chi – square (8 Marks)
 - ii. the mean and the variance of the chi – square distribution. (9 Marks)
- b) Given that the moment generating function of a random variable X is given by $M_X(t) = (1 - 2t)^{-8}$, $t < 1/2$
- i. State the distribution of X . (1 Mark)
 - ii. Hence find the mean and variance of X (2 Marks)

QUESTION THREE (20 MARKS)

- a) A random variable X is said to follow Pareto (type I) distribution with its probability density function given by

$$f(x) = \frac{\alpha k^\alpha}{x^{\alpha+1}} \quad x > k,$$

where k is the scale parameter and α is the shape parameter. Obtain the mean and variance of this distribution. (12 Marks)

- b) The random variable X is an insurer's annual hurricane – related no indent. Suppose that the density function of X is

$$f(x) = \frac{2.2(250)^{2.2}}{x^{3.2}} \quad x > 250$$

Calculate the mean and median of the annual hurricane related loss. (8 Marks)

QUESTION FOUR (20 MARKS)

- a) The time taken by the milkman to deliver milk to high street is normally distributed with mean of 12 minutes and a standard deviation of 2 minutes. He delivers milk every day. Estimate the number of days during the year when he takes longer than 17 minutes.

(5 Marks)

- b) A continuous random variable X follows a Weibull distribution with parameters β and α whose probability density function is given by

$$f(x) = \frac{\beta}{\alpha} \left(\frac{x}{\alpha}\right)^{\beta-1} e^{-\left(\frac{x}{\alpha}\right)^\beta}; \quad \beta, \alpha > 0 \quad x > 0$$

β is the shape parameter and α is the scale parameter. Obtain the mean and variance of this distribution. (15 Marks)

QUESTION FIVE (20 MARKS)

Let X be a standard normal variable with mean of zero and a variance of one. Let U be a chi – square variable with n degrees of freedom. Given that X and U are stochastically independent, we define another random variable given by

$$T = \frac{X}{\sqrt{U/n}}$$

Determine the probability distribution function of T , hence obtain the mean and variance of T . (20 marks)