



**JARAMOGI OGINGA ODINGA UNIVERSITY OF SCIENCE
AND TECHNOLOGY**

UNIVERSITY EXAMINATION 2012/2013

**1ST YEAR 1ST SEMESTER EXAMINATION FOR THE DEGREE
OF BACHELOR OF EDUCATION ARTS WITH IT
(SCHOOL BASED KOSELE LEARNING CENTRE)**

COURSE CODE: SMA 103

TITLE: LINEAR ALGEBRA I

DATE: 3/5/2013

TIME: 3.30-5.30PM

DURATION: 2 HOURS

INSTRUCTIONS

1. This paper contains FIVE (5) questions
2. Answer question 1 (Compulsory) and **ANY** other 2 Questions
3. Write all answers in the booklet provided

QUESTION 1:(30 MARKS)[COMPULSORY]

a) Determine the values of x and y that will make the vector u and v equal if $u = (x + 2, y + 4, -5)$ and $v = (4, 2, -5)$. (3marks)

b) Given that $u = (7, 1, -3, 6)$ and $v = (3, 5, 2, -1)$ Find $u - v$. (3marks)

c) Find the cross product of the vectors (3marks)
 $A = (1, -2, 2)$ and $B = (0, 1, -3)$.

d) Find the distance of the point $A(25, 5, 7)$ from the plane $2x + 4y + 3z = 3$. (3marks)

e) Given the systems of equations below

$$x - 3z = -3,$$

$$2x + ky - z = -2,$$

$$x + 2y + kz = 1.$$

Find the value of k such that the equations have no solution. (4marks)

f) Show that $u + v, u - v, u - 2v + w$ are independent given that u, v, w are independent vectors. (3 marks)

g) Let $F : R^2 \rightarrow R^2$ be defined by $F(x, y) = (2x - y, x)$. Determine whether or not F is linear. (4marks)

h) Write the vectors $v = (3, 5)$ as a linear combination of $e_1 = (1, 3)$ and $e_2 = (0, 2)$ (3marks)

i) Let u, w be the subspaces of R^3 defined by

$$u = \{(a, b, c) : a = b = c\} : a = b = c \text{ and}$$

$$w = \{(0, b, c) : b, c \in R\} : \text{being a set of all vectors. Show that } R^3 = u + w.$$

(4marks)

QUESTION 2:(20 MARKS)

a) Find the angle between the vectors $u = (2,4,5)$ and $v = (-1,3,2)$. (3marks)

b) Let u and v be a vector in an inner product space V , prove that

$$\|u+v\|^2 = \|u\|^2 + \|v\|^2 + 2u \cdot v \quad (6marks)$$

c) Find the equation of the plane through the point $p(1, 2, 3)$ and is

perpendicular to the vector $4i + 5j + 6k$. (4marks)

d) Let $T : R^2 \rightarrow R^3$ be the linear mapping to which ;

$$T(1,2) = (3,-1,5) \text{ and } T(0,1) = (2,1,-1) \quad (5marks)$$

(i) Find $T(a,b)$.

(ii) Evaluate $T(2,3)$ (2marks)

QUESTION 3: (20MARKS)

(a) Let V be the space of all 2×2 matrices over \mathbb{R} . Let U and W be subspaces spanned by (A,B,C) and (D,E,F) respectively, where

$$A = \begin{pmatrix} 4 & 1 \\ -3 & 1 \end{pmatrix}, B = \begin{pmatrix} 2 & 2 \\ -4 & -1 \end{pmatrix}, C = \begin{pmatrix} 2 & 5 \\ -9 & -2 \end{pmatrix}, D = \begin{pmatrix} 3 & -2 \\ 6 & 1 \end{pmatrix}, E = \begin{pmatrix} -5 & -6 \\ 8 & 2 \end{pmatrix}, F = \begin{pmatrix} -6 & -5 \\ 3 & 1 \end{pmatrix}$$

i) Find $\dim (u + w)$. (8marks)

ii) Find $\dim (u \cap w)$. (2marks)

b) Let V be the vector space of polynomials of degree ≤ 3 . Find, if possible non-zero scalars a, b and c such that $au + bv + cw = 0$, where:

$$u = t^3 - 5t^2 - 2t + 3$$

$$v = t^3 - 4t^2 - 3t + 4 \text{ and}$$

$$w = 2t^3 - 7t^2 - 7t + 9.$$

Deduce whether u, v and w are linearly dependent or independent. (10marks)

QUESTION 4 : (20MARKS)

a) i) Define the term basis as used in linear algebra. (2marks)

ii) Find the rank of the matrix (4marks)

$$A = \begin{pmatrix} 1 & 3 & -2 & 5 & 4 \\ 1 & 4 & 1 & 3 & 5 \\ 1 & 4 & 2 & 4 & 3 \\ 2 & 7 & -3 & 6 & 13 \end{pmatrix}$$

b) Find the dimension and basis for the solution space of the homogenous systems of equations given below;

$$x + 2y - 4z + 3r - s = 0,$$

$$x + 2y - 2z + 2r + s = 0,$$

$$2x + 4y - 2z + 3r + 4s = 0, \quad (10\text{marks})$$

c) Determine k so that the vectors $u = (2, 3k, -4, 1, 5)$ and $v = (6, -1, 3, 7, 2k)$ are orthogonal (4marks)

QUESTION 5: (20MARKS)

a) Define a linear Transformation F from a linear space v into a linear space u (2marks)

b) Given that the operator T on R^3 is defined by

$T(x, y, z) = (2x, 4x - y, 2x + 3y - z)$. Find a Formula for the inverse operator T^{-1} . (6marks)

c) Let $F : R^4 \rightarrow R^3$ be the linear matrix

$$F(x, y, s, t) = (x - y + s + t, x + 2s - t, x + y + 3s - 3t).$$

i) Find the dimension of image of F . (3marks)

ii) Find a basis of the range of F . (4marks)

ii) Determine the kernel of F . (5marks)